

L	Hits	Search Text	DB	Time stamp
Number				
-	547	icmp (internet\$4 adj2 control\$4 adj2	USPAT;	2002/11/22
		messag\$4 adj2 protocol)	EPO; JPO;	13:15
			DERWENT;	
			IBM_TDB	
_	1221	((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	12:38
		control\$4)) near5 address\$4)	DERWENT;	
			IBM TDB	
_	46	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	12:41
	ĺ	control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM TDB	
		adj2 protocol))) and ((field value data	_	
		information) near10 detect\$4) and (set\$4		
		near10 (bit byte field parameter\$4))		
-	67	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	12:40
		control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM_TDB	
		adj2 protocol))) and ((field value data	_	
		information) near10 detect\$4) and ((bit		
		byte field parameter\$4))		
-	409	(((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	12:40
		control\$4)) near5 address\$4)) and ((field	DERWENT;	
		value data information) near10 detect\$4)	IBM TDB	
		and ((bit byte field parameter\$4))	<b>,</b>	
-	30	((((ip (internet\$4 protocol)) near5 )	USPAT;	2002/11/25
		address\$4) and ((mac(media adj3	EPO; JPO;	13:50
	İ	control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM_TDB	
		adj2 protocol))) and ((field value data	_	
		information) near10 detect\$4) and (set\$4		
		near10 (bit byte field parameter\$4)) and		
		((field value data information) near9		
		(length size))		
-	27	(((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
	ĺ	address\$4) and ((mac(media adj3	EPO; JPO;	12:49
	ļ	control\$4)) near5 address\$4)) and ((field	DERWENT;	
		value data information) near10 detect\$4)	IBM_TDB	
		and (set\$4 near10 (bit byte field		
		parameter\$4)) and ((field value data		
		information) near9 (length size)) and		
		((field value data information) near10		
		(ttl (time adj3 liv\$4)))		
-	11	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	15:44
		control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM_TDB	
		adj2 protocol))) and ((field value data		
		information) near10 detect\$4) and (set\$4		
			I.	1
		near10 (bit byte field parameter\$4)) and		1
		((field value data information) near9		
		((field value data information) near9 (length size)) and ((field value data		
		((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3		
		<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4)))</pre>		
-	134	<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5</pre>	USPAT;	2002/11/21
-	134	<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3</pre>	EPO; JPO;	2002/11/21 15:43
-	134	<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp</pre>	EPO; JPO; DERWENT;	
-	134	<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4</pre>	EPO; JPO;	
-		<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))</pre>	EPO; JPO; DERWENT;	15:43
-	134	<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) ((((ip (internet\$4 protocol)) near5</pre>	EPO; JPO; DERWENT; IBM_TDB USPAT;	15:43 2002/11/21
-		<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) ((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3</pre>	EPO; JPO; DERWENT; IBM_TDB	15:43
-		<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) ((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp</pre>	EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO; DERWENT;	15:43 2002/11/21
-		<pre>((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv\$4))) (((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) ((((ip (internet\$4 protocol)) near5 address\$4) and ((mac(media adj3</pre>	EPO; JPO; DERWENT; IBM_TDB USPAT; EPO; JPO;	15:43 2002/11/21

_	4	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	15:47
		control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM_TDB	
1		adj2 protocol))) and ((field value data	_	
		information) near10 detect\$4) and (set\$4		
		near10 (bit byte field parameter\$4)) and		
		((field value data information) near9		
1		(length size)) and ((field value data		
		information) near10 (ttl (time adj3		
		liv\$4))) and (ping\$4 arp echo\$4)		
_	3	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	16:49
		control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM TDB	
		adj2 protocol))) and (ping\$4 arp echo\$4)	_	
	1	and (match\$4 near10 address\$4 same		
		destination same (physical logic\$4))		
_	8	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	16:57
}		control\$4)) near5 address\$4)) and (icmp	DERWENT;	
	}	(internet\$4 adj2 control\$4 adj2 messag\$4	IBM TDB	
		adj2 protocol))) and (ping\$4 arp echo\$4)	1	
		and (compar\$5 near10 address\$4 same		1
		destination same (physical logic\$4))		
1_	45	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
	3.5	address\$4) and ((mac(media adj3	EPO; JPO;	16:57
		control\$4)) near5 address\$4)) and (icmp	DERWENT;	10.57
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM TDB	
		adj2 protocol))) and (ping\$4 arp echo\$4)	1DM_1DB	
		and (match\$4 near10 address\$4)		
_	62	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/22
-	62		EPO; JPO;	11:21
		address\$4) and ((mac(media adj3		11.21
		control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM_TDB	
		adj2 protocol))) and (ping\$4 arp echo\$4)		
	1.0	and ((compar\$4 match\$4) near10 address\$4)	HCD M.	2002/11/21
-	16		USPAT;	2002/11/21
		address\$4) and ((mac(media adj3	EPO; JPO;	16:58
		control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM_TDB	]
		adj2 protocol))) and (ping\$4 arp echo\$4)		
		and (compar\$5 near10 address\$4 same		
		destination)		0000 (11 (51
-	1	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/21
	ļ	address\$4) and ((mac(media adj3	EPO; JPO;	17:04
	1	control\$4)) near5 address\$4)) and (icmp	DERWENT;	
		(internet\$4 adj2 control\$4 adj2 messag\$4	IBM_TDB	
		adj2 protocol))) and (ping\$4 arp echo\$4)	1	
		and ((compar\$4 match\$4) near10 ip same		
	1	destination) and ((compar\$4 match\$4)		]
		near10 mac same destination)		<u> </u>
-	7	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/22
	1	address\$4)and (icmp (internet\$4 adj2	EPO; JPO;	10:45
		control\$4 adj2 messag\$4 adj2 protocol)))	DERWENT;	
		and (ping\$4 arp echo\$4) and (((mac(media	IBM_TDB	
		adj3 control\$4)) near5 address\$4)) near10		
		equal\$4)		
-	32	((((ip (internet\$4 protocol)) near5	USPAT;	2002/11/22
		address\$4) near10 differ\$7) and	EPO; JPO;	12:18
	[	((mac(media adj3 control\$4)) near5	DERWENT;	
		address\$4)) and (icmp (internet\$4 adj2	IBM TDB	į i
		<pre>control\$4 adj2 messag\$4 adj2 protocol)))</pre>	_	
		and (ping\$4 arp echo\$4) and ((compar\$4		
		match\$4) near10 address\$4)		
	<u> </u>			

	10	<pre>(((((ip (internet\$4 protocol)) near5 address\$4) near10 equal\$4) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 12:18
-	1		USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 12:28
-	30		USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:02
-	2299	((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/22
-		address\$4 near6 destination\$4 near10 differ\$7) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) (((((ip (internet\$4 protocol)) near5 address\$4)) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:05
-	25	address\$4 near6 destination\$4 near10 differ\$7) and (ping\$4 arp echo\$4) not ((((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) not ((compar\$4 match\$4) near10 address\$4)) (((((ip (internet\$4 protocol)) near5 address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5 address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol))) and (ping\$4 arp echo\$4) and ((compar\$4 match\$4) near10 address\$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:22
_	380	<pre>((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/22 13:17



			77777	0000/11/00
-	'	((ip (internet\$4 protocol)) near5 address\$4 near6 destination\$4 near10	USPAT; EPO; JPO;	2002/11/22 14:13
		equal\$4) and (ping\$4 arp echo\$4) not	DERWENT;	14:13
		(((((((ip (internet\$4 protocol)) near5	IBM TDB	
		address\$4) near10 differ\$7) and	TBN_TBB	
1		((mac(media adj3 control\$4)) near5		
l		address\$4)) and (icmp (internet\$4 adj2		
		control\$4 adj2 messag\$4 adj2 protocol)))		
		and (ping\$4 arp echo\$4) not ((compar\$4		
		match\$4) near10 address\$4)) (((((ip		
		(internet\$4 protocol)) near5 address\$4)		
		near10 differ\$7) and ((mac(media adj3		
		control\$4)) near5 address\$4)) and (icmp		
		(internet\$4 adj2 control\$4 adj2 messag\$4		
		adj2 protocol))) and (ping\$4 arp echo\$4)		
		and ((compar\$4 match\$4) near10		
		address\$4)))		
-	8	((ip (internet\$4 protocol) logic\$2) near5	USPAT;	2002/11/22
		address\$4 near6 destination\$4 near10	EPO; JPO;	13:25
		equal\$4) and (ping\$4 arp echo\$4) not	DERWENT;	
		((((((ip (internet\$4 protocol)) near5	IBM_TDB	
		address\$4) near10 differ\$7) and ((mac(media adj3 control\$4)) near5		
		1 ' ' '	i	
		address\$4)) and (icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)))		
		and (ping\$4 arp echo\$4) not ((compar\$4		
		match\$4) near10 address\$4)) (((((ip		
		(internet\$4 protocol)) near5 address\$4)		
		near10 differ\$7) and ((mac(media adj3		
		control\$4)) near5 address\$4)) and (icmp		
i		(internet\$4 adj2 control\$4 adj2 messag\$4		
ļ		adj2 protocol))) and (ping\$4 arp echo\$4)		
		and ((compar\$4 match\$4) near10		
	0.6	address\$4)))		0000/11/00
-	26	1 , 1 , 1	USPAT;	2002/11/22
		address\$4 near6 destination\$4 near10	EPO; JPO;	13:31
		<pre>differ\$7) and (ping\$4 arp echo\$4) not   ((((((ip (internet\$4 protocol)) near5</pre>	DERWENT; IBM TDB	
		address\$4) near10 differ\$7) and	104_100	
		((mac(media adj3 control\$4)) near5		
		address\$4)) and (icmp (internet\$4 adj2		
		control\$4 adj2 messag\$4 adj2 protocol)))		
		and (ping\$4 arp echo\$4) not ((compar\$4		
		match\$4) near10 address\$4)) (((((ip		
		(internet\$4 protocol)) near5 address\$4)		
1		near10 differ\$7) and ((mac(media adj3		
		control\$4)) near5 address\$4)) and (icmp	,	
		(internet\$4 adj2 control\$4 adj2 messag\$4		
		adj2 protocol))) and (ping\$4 arp echo\$4)		
	1	and ((compar\$4 match\$4) near10 address\$4)))		
_	159	dddress\$4)))   (((icmp (internet\$4 adj2 control\$4 adj2	USPAT;	2002/11/22
		messag\$4 adj2 protocol)) near10 (echo\$4	EPO; JPO;	14:25
ļ		messag\$4))) and ((ip (internet\$4	DERWENT;	
		protocol)) near5 address\$4 near6	IBM TDB	
		destination\$4 )	_	
-	86	(((icmp (internet\$4 adj2 control\$4 adj2	USPAT;	2002/11/22
		messag\$4 adj2 protocol)) near10 (echo\$4	EPO; JPO;	14:20
		messag\$4))) and ((ip (internet\$4	DERWENT;	
		protocol)) near5 address\$4 near6	IBM_TDB	
		destination\$4 ) and ((configur\$4 set\$4)		
	<b>i</b>	near10 ((ip (internet\$4 protocol)) near5		
1_	377	address\$4))	IICDAM -	2002/11/22
-	37	(((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4	USPAT; EPO; JPO;	2002/11/22 14:23
		messag\$4))) and ((ip (internet\$4	DERWENT;	13.45
		protocol)) near5 address\$4 near6	IBM_TDB	
		destination\$4 same (configur\$4 set\$4)		
		near10 ((ip (internet\$4 protocol)) near5		
		address\$4))		

		•		
-	60	<pre>(((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4))) and ((mac (media adj3</pre>	USPAT; EPO; JPO;	2002/11/22 14:35
		control\$4) physical\$4) near5 address\$4 near6 destination\$4)	DERWENT; IBM_TDB	
-	11	<pre>((icmp (internet\$4 adj2 control\$4 adj2 messag\$4 adj2 protocol)) near10 (echo\$4 messag\$4)) same ((mac (media adj3</pre>	USPAT; EPO; JPO; DERWENT;	2002/11/22 14:59
		control\$4) physical\$4) near5 address\$4 near6 destination\$4 )	IBM_TDB	
_	1325	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4)	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/22 15:01
_	322	<pre>((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and ((echo\$4 messag\$4) same ((ip internet\$4) near5 address\$4))</pre>	USPĀT; EPO; JPO; DERWENT;	2002/11/22 15:03
-	64		IBM_TDB USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 15:04
-	19	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (set setting)))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/25 09:45
_	19	((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (set setting))) and ((ip internet\$4) near5 address\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 09:37
_	0	(((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (set setting)))) and (siz\$4 length\$4) and (ttl (tim\$4 adj3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25
-	13	liv\$4)) (((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (set setting)))) and (siz\$4 length\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 09:27
_	0	control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (set setting)))) and	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 09:29
-	0	<pre>(ttl (tim\$4 adj3 liv\$4)) ((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (echo\$4 same ((ip internet\$4) near5 address\$4 near10 (replac\$4 chang\$4)))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/25 09:46
_	153	<pre>((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))</pre>	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/25 11:13
-	16		USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25
_	16	<pre>(((echo\$4 messag\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4)) and ((ip internet\$4) near5</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 11:03
		address\$4)		I

		(//achaca) game (mag (modia adia	USPAT;	2002/11/25
-	9	(((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4	EPO; JPO; DERWENT;	11:22
		near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3	IBM_TDB	
-	92	((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)) and (siz\$4 length\$4) and (ttl (tim\$4 adj3	USPAT; EPO; JPO; DERWENT;	2002/11/25 13:12
-	28	liv\$4)) ((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/25 13:01
-	19	<pre>(((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4)))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25
-	88	(((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((ip internet\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 13:12
_	34	((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4) near10 destination\$4) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))	USPAT; EPO; JPO; DERWENT; IBM TDB	2002/11/25
	34	<pre>(((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4) near10 destination\$4) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))) not (((echo\$4)) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not ((((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 and (((ip internet\$4) near5 address\$4 and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4)))</pre>	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25



***		•		
-	19	(((ip internet\$4) near5 address\$4 near10	USPAT; EPO; JPO;	2002/11/25
	9	(set setting replac\$4 chang\$4) near10 destination\$4) and (siz\$4 length\$4) and (ttl (tim\$4 adj3 liv\$4))) and (ping\$4 arp echo\$4) not ((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 and (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4)))) (((ip internet\$4) near5 address\$4 near10	EPO; JPO; DERWENT; IBM_TDB	1
	9	(set setting replac\$4 chang\$4) near10 destination\$4) and (siz\$4 length\$4) and (ttl (tim\$4 adj3.liv\$4))) and (siz\$4 length\$4) near10 field\$4) and (ttl (tim\$4 adj3.liv\$4)) near10 field\$4) and (ping\$4 arp echo\$4) not ((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4) and ((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (((echo\$4) same (mac (media adj3 control\$4) physical\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not ((ip internet\$4) near5 address\$4 near10 (set setting replac\$4 chang\$4)))) not (siz\$4 length\$4) not (ttl (tim\$4 adj3 liv\$4))))	EPO; JPO; DERWENT; IBM_TDB	15:06